

toptechplus 44-33WD

Code commercial	Code production
4433WD	919480




	Overall dimension (WxDXH)	mm	466x556x820
	Packaging dimension (WxDXH)	mm	560x660x870
	Gross weight	Kg	50
	Net weight	Kg	47
	Volume	mc	0,32
	Rack size	mm	400x400
	Max door\hood opening	mm	320
	Max glasses\plate height	mm	300\320
	Flank's construction		double wall
	Tank construction		deep drawn
	Tank volume		8
	Tank heating element	W	2000
	Tank surface strainers		inox
	Wash arms		parallel clip-in
	Wash pump type		double flow
	Wash pump power	W	200
	Wash temperature	°C	60
	Boiler type		open
	Boiler volume		2,6
	Back-flow system		break tank
	Boiler heating element		3000
	Rinse booster pump		yes
	Rinse booster pump power	W	200
	Rinse temperature	°C	65
	Rinse arms		parallel clip-in
	Drain system		partial drain
	Drain filter		triple filter
	Drain pump		yes
	Rinse aid dispenser	peristaltic	yes
	Detergent dispenser	peristaltic	yes
	Rinse water consumption	liter/rack	1,5
	Optimal external water pressure	bar	0,5-6,0
	Wash cycle (P)	sec	75
	Fast program (DIN)		150
	Total programs	programs	n°6
	Total power	W	3.200
	Electric connection	V-PH-HZ	230V 1N 50Hz
	Fuse	A	16
	Water softener		no



Equipments		
Flat rack	n°2	780134
Cutterly rack	n°1	780139
Electric cable	n°1	yes
Drain hose	n°1	yes
Fill hose	n°1	yes

top^{tech}plus 44-33WD



toptech**plus** 44-33WD



TECHNICAL FILE 2025